

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge Ordinary Level

MARK SCHEME for the May/June 2015 series

2217 GEOGRAPHY

2217/22

Paper 2 (Investigation and Skills), maximum raw mark 90

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

Section A

- 1 (a) (i)** (Other) building [1]
- (ii)** Class C [1]
- (iii)** Parish [1]
- (iv)** Linear [1]
- (v)** Mangrove [1]
- (vi)** Marsh / swamp [1]
- (vii)** Meander [1]
- (viii)** Spit [1]
- (b)** Passes through 090340 [2]
Correct in relation to easting 11
- (c) (i)** 2100 – 2300 [1]
- (ii)** Pasture [1]
Buildings / settlement
- (d) (i)** Flows south / north to south [2]
Then flows SW / W / from NE to SW / from E to W
- (ii)** Distributary [1]
- (e)** 135/6 385/6 [1]
- (f)** Along road [4]
Flat land
Sugar plantation }
Mixed scattered cultivation } farmland
Pasture } Woodland for fuel / building
Quarry for building material / employment
Water supply

[Total 20 marks]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

- 2 (a) (i) Labels positioned correctly [4]
- (ii) A [1]
- (b) River bed is visible [1]
Channel could contain much more water
Water doesn't reach the river cliff
- (c) Short grass [2]
Longer clumps of grass / shrubs / herbs
Flowers
Green / leafy / deciduous / dense trees

[Total 8 marks]

- 3 (a) Industry / factories [1]
Power station
Fires / burning of trees / burning of coal
Domestic heating
Volcanic eruption
- (b) (i) Shading within zone 8 [1]
- (ii) East of the road [4]
Very low concentration close to road
Highest concentration 40m – 75m east
Increases rapidly within 40m – 75m
Decreases more slowly after 40m – 75m
Highest concentration in south / opposite point F
In north highest concentration is further from the road
No pollution on west of road
- (c) (i) West [1]
- (iii) F [1]

[Total 8 marks]

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

- 4 (a) (i) Mostly near edge of land masses / coastal
 West edge of Americas } Pacific ring of fire
 East edge of Asia } [3]
 Three in Mediterranean / Europe
 One in Pacific / Hawaii
 One in Atlantic
 One in Indonesia
 One in centre of Africa
- (ii) Plate boundaries [1]
 Hot spot
- (b) (i) Ash [2]
 Pyroclastic flow Lahars Poisonous gases
 Volcanic bombs
- (ii) Fertile soil for agriculture [2]
 Interesting scenery for tourism
 Mineral rich land for mining

[Total 8 marks]

- 5 (a) (i) Village (with services) [1]
- (ii) 8 [1]
- (iii) Isolated / dispersed [1]
 Hamlet
 Village without services
- (b) (i) Q – it gives a bus service through their village [2]
 Q – links them to Lambourn / East Garston / Stock Cross / Newbury
 Q – brings people to use their services
 P/R – noisy buses will be kept away from their village
 P/R – big buses won't block narrow village roads
- (ii) Quicker [2]
 Stops at less places
 More direct / shorter
- (iii) Links Chaddlewoth / Chieveley / Hermitage / Cold Ash with Newbury [1]
 Links many / five villages

[Total 8 marks]

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

- 6 (a) (i) Data plotted correctly [1]
- (ii) Best fit line correct [1]
- (iii) Scattergraph [1]
- (iv) Negative relationship [1]
As pressure increases, maximum wind speed decreases
- (b) (i) Not possible to draw a best fit line [1]
Points do not lie in a line
Death toll is zero or low at a wide range of wind speeds
- (ii) Size of population in area [3]
Amount of warning given
Access to emergency services
Preparedness of population / emergency planning / drill / evacuation
Sheltering effect of relief
Location in relation to river / floodplain / coast
Effectiveness of drainage
Building construction

[Total 8 marks]

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

Section B

7 (a) (i) Examples

- To find out whether they are residents or tourists (1)
- Students only want to ask local people/questionnaire is for residents (1)
- Some people they approach will not be local people (1)
- Not waste peoples/students time (1)
- Tourist results will be unreliable/residents more reliable (1)
- Tourists do not know the advantages + disadvantages/not there all year (1)
- So that answers relate/relevant to the hypothesis (1)

(1 + 1) = 2 [2]

(ii) One mark for naming method and one mark for brief description.

If method wrong can give description mark if describes one of these three methods below accurately

Systematic sampling (1)

e.g. Ask every tenth/nth person/regular intervals (1).

OR

Random sampling (1)

e.g. Use random numbers/ask next person they meet/any order/ no specific order (1)

OR

Stratified sampling (1)

e.g. Ask appropriate age / gender balance / in proportion to population (1)

(1 + 1) = 2 [2]

(iii) Examples

- Avoid bias / fair test (1)
- Saves time / quicker (1)
- Impossible to ask all people in the town (1)
- Get a representative selection/range of people (1)

(1 + 1) = 2 [2]

(b) (i) Completion of bar graphs; one mark for each correct plot

Better public transport at 60, higher prices at 47

(1 + 1) = 2 [2]

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

(ii) Hypothesis is true – 1 mark reserve

More/majority/over half residents/people think there are advantages than disadvantages (1)

464 answers for advantages but only 282 disadvantages given/182 more answers for advantages (1)

129/150 residents agree more ad> disadvantages/ only 21/150 disagree (1) OR 86% residents agree/14% disagree (1) OR 129 residents agree and 21 disagree (1)

More types/categories/wider range of advantages suggested than disadvantages (1)
7 advantages but only 5 disadvantages (1)

Credit paired comparative data to 2 marks max

(1HA + 1 + 1 + 1) = 4 [4]

(iii) Examples

More jobs means closer to home/less travel (1)

Reduces unemployment (1)

More money/higher income/reliable income (1)

Give local people a higher standard of living/better QoL (1)

More income for necessities / luxuries (1)

May improve local services e.g. education, hospitals (1)

Can generate further investment/local businesses/multiplier idea/boost local economy (1)

(1 + 1 + 1 + 1) = 4 [4]

(c) (i) Secondary data (1) [1]

(ii) Examples

Use a stopwatch to get exact time (1)

Count for same length of time (1)

Survey both locations at same time (1)

More than one student to count / record at each location (1)

Use a tally method (1)

Use a clicker/counter (1)

Take more readings and average/take readings on different days/seasons (1)

(1 + 1 + 1) = [3]

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

- (iii) Completion of line graph
16.00 @ 220, 18.00 @ 122

2 correct plots + line = 2 marks
2 correct plots but no line = 1 mark
1 correct plot + line = 1 mark,

(1 + 1) = 2 [2]

- (iv) 1 statement mark MAX and 1 data mark MAX for each of X and Y. Accept statistics from graphs 4a/4b or table 2.

Location X:

Twice as many vehicles in summer than winter (1)
More traffic in summer at each survey time/summer line always above winter line (1)
Biggest difference in middle of day / between 12.00 & 14.00 (1)

At 12.00 on graph 380:160 OR at 14.00 350:140 (1)
On graph peak of 380 in summer higher than peak of 220 in winter (1)
From table: 1702 vehicles in summer but only 849 in winter/ 853 more in summer (1)
From table: 283.6 average in summer but only 141.5 average in winter (1)
From table: At 12.00 377:162 OR at 14.00 349: 139 (1)

Location Y:

Almost same amount of traffic in summer + winter/lines closer/lines cross (1)
More traffic in winter at three survey times (1)
Summer and winter figures are similar at all six survey times (1)

From graph peak of 370 in summer and 380 in winter (1)
From table 1874 vehicles in summer:1864 in winter/only 10 more vehicles in summer (1)
From table or graph: similar stats at 10.00 262:240/ 14.00 320:307/ 16.00 380:368 (1)

(1 + 1) x 2 =4 [4]

- (v) X located near harbour / seafront/beach so more popular in summer/more tourists (1)
Y located inland / in suburbs/ motorway so more local people/residents (1)

(1 + 1) = 2 [2]

- (d) Q1: Irrelevant to the topic of method of transport / intrusive / personal / not all will have a car (1)
Q2: Closed question / Yes and No question /does not consider other methods of transport / no need for Q2 as covered by Q3 (1)

(1 + 1) = 2 [2]

[Total: 30 marks]

8 (a)

X	Y
Check the times of high tide	to wear appropriate clothing and take sunblock
Work in groups of three or four	to communicate with their teacher if they have a problem
Charge up their mobile (cell) phone	to know when it will be safe to make measurements on the beach
Check the weather forecast	to complete all their tasks and check their measurements

4 correct = 3 marks, 3 correct = 2 marks, 1 or 2 correct = 1 mark

$$(1 + 1 + 1) = 3$$

[3]

- (b) Swash is stronger than backwash (1)
More than 13 waves per minute (1)

$$(1 + 1) = 2$$

[2]

- (c) (i) Examples

Count number of waves breaking/crashing/reaching/going up beach/hitting object or person (1)

Count for specified time period (1)

Use a stopwatch / timer/ clicker (1)

Take an average of a number of counts (1)

$$(1 + 1 + 1) = 3$$

[3]

- (ii) 7.6 or $7\frac{3}{5}$

[1]

Page 10	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

(d) (i) Examples

- Lay tape measure on beach to create a transect/ perpendicular to beach (1)
- Poles put at break of slope (1)
- Measure distance between poles/sites/breaks of slope (1)
- Poles must be vertical (1)
- Read angle from lower pole (nearer to sea) to upper pole (further from sea) (1)
- Student holds clinometer at top / at same marked height on ranging pole / look along string or rope (1)
- Read / measure/record angle (1)
- Move poles up beach /along profile to next site/break of slope (1)

(1 + 1 + 1 + 1) = 4 [4]

(ii) Examples of evidence:

- Average wave frequency is 7.6 / less than 13 /between 6–10/less than destructive wave (1)
- Beach profile is more similar to constructive beach profile (1)
- Small bars near sea/0–15m (1)
- Build up of ridge (berm)/at 30m (1)
- Small bars rather than large bars (1)
- Ridge rather than steep beach (1)
- Flattens off at back/after ridge/ from 30–40m (1)

(1 + 1 + 1) = 3 [3]

(e) (i) Examples

- Wind sock / streamer / material held up / throw grass into the air / wet finger /observe features blown by wind (1)
- Use compass to see direction wind is blowing (1)

(1 + 1) = 2 [2]

(ii) Completion of graph:

0m @ 6.5cm length, 240m @ 4.2cm length

(1 + 1) = 2 [2]

(iii) Yes / results support hypothesis /hypothesis is True

Examples of evidence

- Average pebble size decreases from west to east/further east along beach (1)
- Overall decrease from 6.5cm length at 0 to 4.0cm length OR other appropriate paired data (1)
- 0–100m all 6cm or more; 100–260m all 5.9 or less (1)

Anomalies at 20/ 80 /160 m where pebble size is larger (1 mark max)

Credit paired data (distance and pebble size) to 1 mark max

(1HA + 1 + 1) = 3 [3]

Page 11	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	2217	22

(iv) Examples

Paint 50 pebbles (1)

Group/put them in the swash / backwash zone / west side of beach/at water's edge (1)

Mark starting point (1)

Leave them for period of time (1)

Find the pebbles & measure distance from starting point (1)

OR

Lay out tape measure close to water / mark start and finish points (1)

Put float/coloured balls in water at start point (1)

Time how long it takes object to reach finish point (1)

Repeat a number of times and take average (1)

OR

Measure from top of groyne to beach surface (1)

On both sides of groyne (1)

Measure at equal distances along groyne (1)

Calculate average distance from top to beach on both sides of groyne (1)

Repeat for other groynes to confirm movement along beach (1)

(1 + 1 + 1 + 1) = 4 [4]

(f) Examples

Weathering/physical/chemical weathering of rock forming cliffs (1)

Freeze-thaw could crack rocks (1)

Rock falls (1)

Undercutting/erosion of cliff (1)

Collapse of unsupported rock (1)

Strong waves carry rocks to cliff (1)

Backwash too weak to move them (1)

Can be three separate ideas or one of above developed to 2 or 3 marks

(1 + 1 + 1) = 3 [3]

[Total: 30 marks]