



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
 General Certificate of Education  
 Advanced Subsidiary Level and Advanced Level

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--

**COMPUTING**

**9691/02**

Paper 2 Written

**For Examination from 2011**

SPECIMEN PAPER

**2 hours**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** questions.

No marks will be awarded for using brand names of software packages or hardware.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
<b>1</b>	
<b>2</b>	
<b>3</b>	
<b>4</b>	
<b>Total</b>	


This document consists of **12** printed pages.



1 A database of properties in an estate agency displays, on the screen, a form to allow the user to enter queries. The following details are displayed on the screen:

- a company logo
- a space for the name of the customer
- 2 questions about the properties interested in with space for the answers
- a means of going on to the next screen and also a means of returning to the previous one

(a) Draw a suitable layout for the screen.



[6]

*For  
Examiner's  
Use*





2 A program has been written which inputs the marks gained by 1000 candidates in an examination. The top mark possible is 100. The program calculates the mean mark and outputs the highest mark, the lowest mark and the mean.

(a) It is decided to test the program by using sets of test data containing four marks each time.

Explain why the testing was carried out using only four marks at a time.

.....

.....

.....

..... [2]

(b) Using the table below, give **three** separate test cases for testing the program.

	Input data	Reason for test	Expected result
Test 1			
Test 2			
Test 3			

[9]

**3** A town election is held to elect a new mayor.

The people in the town can vote for whoever they prefer from the three candidates A, B, C.

The voting is done by each voter pressing one of a set of buttons labelled A, B and C in the voting booth. This acts as input to a computer program.

An early version of the software assumes that there are 1000 people who will be voting. It uses an array, `Votes()` to store the votes that are cast. `Votes()` is an array of 1000 characters, A, B or C.

A second array, `CandidateTotals()`, contains three integers and is used with the array, `Votes()` in the following pseudocode:

```

01 LOOP FOR i = 1 TO 1000
02     IF Votes(i) = "A"
03         THEN
04             CandidateTotals(1) = CandidateTotals(1) + 1
05         ELSE
06             IF Votes(i) = "B"
07                 THEN
08                     CandidateTotals(2) = CandidateTotals(2) + 1
09                 ELSE
10                     CandidateTotals(3) = CandidateTotals(3) + 1
11             ENDIF
12     ENDIF
13 ENDLOOP
14 OUTPUT A,B,C

```

- (a) (i)** Explain why it will be necessary to initialise the array `CandidateTotals ()` before the pseudocode is run.

.....  
 ..... [1]

- (ii)** Write a FOR loop which can be used to initialise the array `CandidateTotals()` at the start of the pseudocode.

.....  
 .....  
 .....  
 ..... [2]

(iii) Explain what happens when the program based on this pseudocode is executed.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
..... [4]

(iv) By stating the type of operator in each case, explain why the use of the '=' signs in lines 2 and 4 are different.

.....  
.....  
.....  
.....  
.....  
..... [3]

(v) Line 14 is meant to output the total votes for A, B and C. It does not work.

Rewrite line 14 to produce the correct result.

.....  
.....  
..... [2]

(b) The following pseudocode is written to determine which of A, B and C gets the highest vote.

For  
Examiner's  
Use

```
01 IF CandidateTotals(1) > CandidateTotals(2)
02     THEN
03         IF CandidateTotals(1) > CandidateTotals(3)
04             THEN
05                 OUTPUT "A"
06             ELSE
07                 OUTPUT "C"
08         ENDIF
09     ELSE
10         IF CandidateTotals(2) > CandidateTotals(3)
11             THEN
12                 OUTPUT "B"
13             ELSE
14                 OUTPUT "C"
15         ENDIF
16 ENDIF
```

(i) Some people do not vote and the result of a particular vote is that all of A, B and C receive equal votes.

State the line numbers that will be executed by the algorithm and which of A, B or C will be output.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

[4]

- (ii) Explain how the pseudocode would need to be altered to deal correctly with two or three of the candidates receiving equal votes. Do **not** produce the pseudocode.

*For  
Examiner's  
Use*

.....

.....

.....

.....

.....

.....

.....

..... [4]

4 (a) (i) Explain what is meant by a subroutine.

.....

.....

.....

.....

..... [3]

(ii) Functions and procedures are both examples of subroutines.

Explain how a function differs from a procedure.

.....

.....

.....


..... [2]

A garage is having software produced to calculate the bills for its customers. A text file contains a list of all the servicing for a customer. An extract of this file is given below.

Date	Duration	Parts
01/01/2007	01:09	\$17.07
03/08/2007	02:52	\$29.27
12/02/2007	04:13	\$43.15

The garage charges for labour by charging for every half hour, or part of a half hour.

(iii) The development team decides to divide the problem into modules as shown in the diagram below.



Draw part of the next level of the diagram by dividing the module 'GET HOURS' into further sub-tasks.

Do **not** attempt to divide any of the other modules. [4]

(b) (i) Describe **two** programming techniques that can be used when writing a program to help others to understand the code.

1 .....

.....

.....

.....

2 .....

.....


.....

[4]

(ii) The software for the garage includes a function which takes HOURS as a **string** and returns the number of half hours.

For example, if the input is "1:30" the output will be 3; if the input is 2:52 the output will be 6.

Here is an algorithm for this function.



Rewrite this function in a high-level language using appropriate string manipulation functions, ensuring that your code can be followed easily by another programmer.

*For  
Examiner's  
Use*

You must state the high-level language that you use.

Language .....

Code .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

[7]

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.