

Mark Scheme (Results)

Summer 2013

International GCSE  
Human Biology (4HB0) Paper 01

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk) for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson. Their contact details can be found on this link: [www.edexcel.com/teachingservices](http://www.edexcel.com/teachingservices).

You can also use our online Ask the Expert service at [www.edexcel.com/ask](http://www.edexcel.com/ask). You will need an Edexcel username and password to access this service.

## **Pearson: helping people progress, everywhere**

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2013

Publications Code UG037205

All the material in this publication is copyright

© Pearson Education Ltd 2013

<b>Question number</b>	<b>Answer</b>	<b>Accept</b>	<b>Reject</b>	<b>Marks</b>
1 (a)	C			1
(b)	C			1
(c)	B			1
(d)	A			1
(e)	C			1
(f)	B			1
(g)	D			1
(h)	B			1
(i)	A			1
(j)	B			1
			<b>Total</b>	<b>10</b>

Question number	Answer	Accept	Reject	Marks
2 (a)	oxygen;		O2	1
(b)	(sun)light/eq;	Solar	Sun on its own	1
(c)	air/atmosphere; soil/eq;	ground	Roots Ignore rain	2
(d)	glucose;			1
			<b>Total</b>	<b>5</b>

Question number	Answer	Accept	Reject	Marks
3 (a)	36.8; <u>°C</u> ;	C		1 1
(b) (i)	temperature shown 37°C to 40°C inc;			1
(ii)	exercise requires <u>more</u> energy; <u>more</u> respiration occurs; <u>heat</u> is a product of <u>respiration</u> ;			2 max
(c)	would have a greater scale range / higher or lower temperature measured/ 0 - 100°C;  accuracy / precise;  fluid in the clinical thermometer;	constriction / kink in clinical thermometer		2 max
			<b>Total</b>	<b>7</b>

Question number	Answer		Accept	Reject	Marks
4	<b>Function</b>	<b>component of blood responsible</b>			
	transport of hormones	plasma			
	transport of oxygen	red blood cells			
	transport of products of digestion	plasma			
	transport of urea	plasma			
			<b>Total</b>	<b>4</b>	

Question number	Answer	Accept	Reject	Marks
5	proteins; lipids/fats; peristalsis; constipation; bowel / colon cancer; cellulose; enzymes/bacteria;	first 2 answers in either order		7
			<b>Total</b>	<b>7</b>

Question number	Answer	Accept	Reject	Marks
6 (a) (i)	chromosomes;		gene	1
	(ii) DNA/deoxyribonucleic acid;			1
6 (b)	all cells show two chromosomes;  one long and one short / one straight one curved in each cell;			2

Question number	Answer	Accept	Reject	Marks														
6 (c)	<table border="1" data-bbox="395 528 916 1037"> <thead> <tr> <th data-bbox="395 528 657 566">meiosis</th> <th data-bbox="657 528 916 566">mitosis</th> </tr> </thead> <tbody> <tr> <td data-bbox="395 566 657 604">1. two divisions</td> <td data-bbox="657 566 916 604">one division;</td> </tr> <tr> <td data-bbox="395 604 657 678">2. four nuclei/cells</td> <td data-bbox="657 604 916 678">two nuclei/cells;</td> </tr> <tr> <td data-bbox="395 678 657 752">3. haploid / 23 chromosomes</td> <td data-bbox="657 678 916 752">diploid / 46 chromosomes;</td> </tr> <tr> <td data-bbox="395 752 657 857">4. gamete formation / sex cells</td> <td data-bbox="657 752 916 857">growth/repair / body or somatic cells;</td> </tr> <tr> <td data-bbox="395 857 657 963">5. variation / genetically different</td> <td data-bbox="657 857 916 963">no variation / genetically identical;</td> </tr> <tr> <td data-bbox="395 963 657 1037">6. crossing over</td> <td data-bbox="657 963 916 1037">no crossing over;</td> </tr> </tbody> </table>	meiosis	mitosis	1. two divisions	one division;	2. four nuclei/cells	two nuclei/cells;	3. haploid / 23 chromosomes	diploid / 46 chromosomes;	4. gamete formation / sex cells	growth/repair / body or somatic cells;	5. variation / genetically different	no variation / genetically identical;	6. crossing over	no crossing over;		Sex organs	Max 4
meiosis	mitosis																	
1. two divisions	one division;																	
2. four nuclei/cells	two nuclei/cells;																	
3. haploid / 23 chromosomes	diploid / 46 chromosomes;																	
4. gamete formation / sex cells	growth/repair / body or somatic cells;																	
5. variation / genetically different	no variation / genetically identical;																	
6. crossing over	no crossing over;																	
			<b>Total</b>	<b>8</b>														

Question number	Answer	Accept	Reject	Marks
7				4
			<b>Total</b>	<b>4</b>

Question number	Answer	Accept	Reject	Marks
8 (a) (i)	A = retina; B = sclerotic (coat)/sclera; C = choroid (coat)/choroid layer; D = <u>optic</u> nerve;			4
(ii)	one line to the cornea labelled L; one line to the lens labelled L;			2
(iii)	(Distant object ) (near object)  ciliary muscles; relax;  suspensory ligaments; tighten;  lens gets thin / flatter/ less convex;  NB. Do not give ciliary / suspensory more than once	ciliary muscles; contract;  suspensory ligaments; go slack/ go loose;  lens gets thicker/ fatter/more convex;	stretch relax	4 max
(b) (i)	small black circle in <b>P</b> ;  N.B. sizes in correct order No need to be coloured in			1
(ii)	large black circle in <b>Q</b> ;			1
(iii)	radial /longitudinal <u>and</u> circular muscles (in iris); radial /longitudinal <u>contract</u> pupil large/ wider / dilate; circular <u>contract</u> pupil small;			3
(c)	stereoscopic vision/ 3D / binocular; able to judge distances / depth (of field) / height; speed / acceleration/ velocity; eliminate blind spot effect;			3 max
			<b>Total</b>	<b>18</b>

Question number	Answer	Accept	Reject	Marks
9 (a) (i)	XY XX; X Y X X; XX XX XY XY;	ECF only for a(i)		3
(ii)	2 correct; 4 correct;  NB. Must match the offspring genotypes given in a(i).			2
(b)	a disease/ condition caused by (faulty) allele; on the sex/ <u>X</u> chromosome;		genes Y	2
(c) (i)	1 the father = $X^N Y$ ; 2 the mother = $X^n X^n$ ; 3 the children with normal vision = $X^N Y$ ; 4 the children with 'Night Blindness' = $X^N X^n$ ;  N.B. Max 3 if no if X and Y.			4
(ii)	(Vitamin) A;			1
			<b>Total</b>	<b>12</b>

Question number	Answer			Accept	Reject	Marks												
10	<table border="1"> <thead> <tr> <th data-bbox="336 360 536 432">Practical technique</th> <th data-bbox="536 360 788 432">Precaution</th> <th data-bbox="788 360 1137 432">Reason</th> </tr> </thead> <tbody> <tr> <td data-bbox="336 432 536 714">Heating glucose in Benedict's solution</td> <td data-bbox="536 432 788 714">wear goggles/water bath/ point tube away;  tying (long) hair back;</td> <td data-bbox="788 432 1137 714">prevent hot solution entering eye/protect eyes;  to prevent hair setting on fire;</td> </tr> <tr> <td data-bbox="336 714 536 931">Handling Petri dishes containing bacteria</td> <td data-bbox="536 714 788 931">seal lid with cellotape;  wash hands/wear gloves;</td> <td data-bbox="788 714 1137 931">prevent escape of pathogenic organisms;  prevent the spread of disease;</td> </tr> <tr> <td data-bbox="336 931 536 1149">Cutting a piece of potato using a razor blade</td> <td data-bbox="536 931 788 1149">cut onto tile/chopping board/away from body; safe disposal of razor;</td> <td data-bbox="788 931 1137 1149">prevents cutting of fingers/skin/yourself;</td> </tr> </tbody> </table>			Practical technique	Precaution	Reason	Heating glucose in Benedict's solution	wear goggles/water bath/ point tube away;  tying (long) hair back;	prevent hot solution entering eye/protect eyes;  to prevent hair setting on fire;	Handling Petri dishes containing bacteria	seal lid with cellotape;  wash hands/wear gloves;	prevent escape of pathogenic organisms;  prevent the spread of disease;	Cutting a piece of potato using a razor blade	cut onto tile/chopping board/away from body; safe disposal of razor;	prevents cutting of fingers/skin/yourself;		Gloves	2
Practical technique	Precaution	Reason																
Heating glucose in Benedict's solution	wear goggles/water bath/ point tube away;  tying (long) hair back;	prevent hot solution entering eye/protect eyes;  to prevent hair setting on fire;																
Handling Petri dishes containing bacteria	seal lid with cellotape;  wash hands/wear gloves;	prevent escape of pathogenic organisms;  prevent the spread of disease;																
Cutting a piece of potato using a razor blade	cut onto tile/chopping board/away from body; safe disposal of razor;	prevents cutting of fingers/skin/yourself;																
					Gloves	2												
					<b>Total</b>	<b>6</b>												

Question number	Answer	Accept	Reject	Marks
11 (a) (i)	urine;		urea	1
(ii)	renal vein;		vena cava	1
(b) (i)	urea;		urine	1
(ii)	allows small molecules to pass through;  prevents larger molecules;	glucose/salts/ amino acids/eq  red blood cells/platelets /some white cells		2
(iii)	Bowman's capsule/renal capsule;		glomerulus	1
(iv)	If at lower conc molecules would leave blood/diffuse into special solution;  glucose/amino acids/salts;  conc in <u>blood</u> would become to low;  lack of glucose for respiration;  amino acids for growth/repair/proteins/hormones/anti bodies;			4 max
(c)	<i>Advantages</i>  don't have to go to hospital/no dialysis required; freedom to work; permanent solution; normal/better quality of life/increased life expectancy;  <i>disadvantages</i>  risks of infection/surgery; need for a correct match/rejection; need to be on drugs; need for someone to die/shortage of donors;			2 max  2 max
			<b>Total</b>	<b>14</b>

Question number			Answer	Accept	Reject	Marks				
12	(a)	(i)	<p>breathe <u>in and out</u>/inhale and exhale;  through T piece/mouthpiece;  for max 1 minute/for short time;</p>			2 Max				
		(ii)	<table border="1"> <thead> <tr> <th>Tube A</th> <th>Tube B</th> </tr> </thead> <tbody> <tr> <td>remains clear/ colourless/ transparent;</td> <td>becomes cloudy / milky;</td> </tr> </tbody> </table>	Tube A	Tube B	remains clear/ colourless/ transparent;	becomes cloudy / milky;			2
Tube A	Tube B									
remains clear/ colourless/ transparent;	becomes cloudy / milky;									
	(b)		<p>fair test;  (valid) <u>comparison</u> made;  smaller volume would change quicker;</p>	R.A.		3				
	(c)		<p>don't suck too hard/care not to take in  liquid/sterilise mouthpiece/ don't swallow  the liquid/ lime water not too high/ not  over flow</p>		Gloves Safety goggles	1				
	(d)		<p><u>tube B</u> cloudy quicker;  exercise requires <u>more</u> energy;  <u>greater</u> rate of respiration/<u>more</u>  respiration;  carbon dioxide is produced during  respiration;  <u>more/increased</u> amount of carbon  dioxide breathed out/exhaled;</p>	<p>respirating  faster</p>	anaerobic	4 max				
					<b>Total</b>	<b>12</b>				

Question number	Answer	Accept	Reject	Marks
13 (a)	<p>breathlessness/short of breath/wheezing/difficulty breathing;</p> <p>coughing;</p> <p>lack of energy/can't exercise for long;</p>			2 max
(b) (i)	<p>sulfur dioxide;</p> <p>carbon monoxide;</p> <p>nitrogen oxides;</p> <p>smoke / soot particles;</p>		Carbon dioxide Methane CFCs	3 max
(ii)	<p>4.4%;</p> <p>2%/2.0%;</p>			2
(iii)	<p>causes an increase in incidence in smokers;</p> <p>causes an increase in incidence in non-smokers except in ages 45-54;</p> <p>smokers are always higher than non-smokers;</p> <p><u>in smokers</u> there is always a larger percentage of people with bronchitis in high pollution areas than low pollution areas;</p>			3 max
(iv)	<p>use of relevant data from graph to support <u>comparisons</u>;</p> <p>smoking;</p> <p>incidence higher in smokers;</p> <p>at both low and high levels of pollution;</p> <p>in non-smokers pollution levels have little effect;</p>			3 max
			<b>Total</b>	<b>13</b>
			<b>Total for paper</b>	<b>120</b>



Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467  
Fax 01623 450481  
Email [publication.orders@edexcel.com](mailto:publication.orders@edexcel.com)  
Order Code UG037205 Summer 2013

For more information on Edexcel qualifications, please visit our website  
[www.edexcel.com](http://www.edexcel.com)

Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual  




Llywodraeth Cynulliad Cymru  
Welsh Assembly Government

