



Pearson

Mark Scheme (Results)

January 2017

Pearson Edexcel International GCSE in Human
Biology (4HB0) Paper 02

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2017

Publications Code 4HB0_02_1701_MS

All the material in this publication is copyright

© Pearson Education Ltd 2017

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number	Answer	Accept	Reject	Marks
1	<p data-bbox="344 256 678 288"><u>Description of Process</u></p> <p data-bbox="837 256 1088 288"><u>Name of Process</u></p>	<p data-bbox="1214 331 1525 504">Removal of water on to skin surface can be excretion as an alternative to sweating</p>		<p data-bbox="1939 331 1962 357">7</p> <p data-bbox="1883 1369 1995 1401">Total 7</p>

(b)	(i)	middle ear;			1
	(ii)	bone;			1
	(iii)	3 of			
		<ul style="list-style-type: none">• collect/pick up/transfer vibrations;• from eardrum;• across middle ear;• to oval window/cochlea;• amplify vibrations;			3

Question number	Answer	Accept	Reject	Marks
2 (c)	3 of <ul style="list-style-type: none"> • (oxygen absorption) causes pressure in chamber to drop/pressure difference either side of eardrum; • eardrum curves (inwards)/presses against malleus; • vibration reduced/stopped; • hearing impaired/not as good; 			3 Total 14

Question number	Answer	Accept	Reject	Marks
3 (a) (i)	3 of <ul style="list-style-type: none"> • use a ruler/tape measure; • measure up one arm/from hand to head; • across the head; • to the second arm/hand; 			3
(ii)	1900 cm;			1
(iii)	1900 and 2.5; 1900 ÷ 2.5; 760;	Allow ecf from 3a(ii) 1 mark for 1900 and 2.5 1 mark for correct sum (division) using figures above 1 mark for correct answer using above Allow full marks for correct final answer with no working		3
(iv)	3 of <ul style="list-style-type: none"> • no repeats; • difficulty in measuring distance; • errors in starting/stopping timer; • possible anticipation by students/delay in student response; • delay caused by synapses; 			3

(b)	2 of <ul style="list-style-type: none">• alcohol is a depressant/sedative;• impulse speed/transmission (across the synapse) would be slower;• slows reactions;			2 Total 12
-----	--	--	--	---------------

Question number	Answer	Marks
4	<p data-bbox="383 252 450 280">8 of</p> <ul data-bbox="432 323 1906 1070" style="list-style-type: none"><li data-bbox="432 323 1010 352">• cilia damaged/destroyed/paralysed;<li data-bbox="432 395 1066 424">• accumulation/overproduction of mucus;<li data-bbox="432 467 831 496">• causes smoker's cough;<li data-bbox="432 539 976 568">• leads to lung infection/bronchitis;<li data-bbox="432 611 658 639">• lung cancer;<li data-bbox="432 683 763 711">• emphysema/COPD;<li data-bbox="432 754 1906 783">• walls of alveoli break down/lose elasticity/enlargement of alveoli/surface area of alveoli reduced;<li data-bbox="432 826 1160 855">• carbon monoxide combines with haemoglobin;<li data-bbox="432 898 1547 927">• gas exchange/oxygen uptake reduced/less oxygen in blood/transported;<li data-bbox="432 970 719 999">• less respiration;<li data-bbox="432 1042 1077 1070">• less ATP/energy released/tired/fatigued;	8

Question number	Answer	Accept	Reject	Marks												
5 (a) (i)	<table border="1"> <thead> <tr> <th>Part</th> <th>Name of Part</th> <th>Function of Part</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>cell membrane</td> <td>controls substances entering/leaving cell;</td> </tr> <tr> <td>Y</td> <td>nucleus</td> <td>controls activity/contains genes/DNA/chromosomes;</td> </tr> <tr> <td>Z</td> <td>cytoplasm</td> <td>(chemical) reactions occur;</td> </tr> </tbody> </table>	Part	Name of Part	Function of Part	X	cell membrane	controls substances entering/leaving cell;	Y	nucleus	controls activity/contains genes/DNA/chromosomes;	Z	cytoplasm	(chemical) reactions occur;			3
Part	Name of Part	Function of Part														
X	cell membrane	controls substances entering/leaving cell;														
Y	nucleus	controls activity/contains genes/DNA/chromosomes;														
Z	cytoplasm	(chemical) reactions occur;														
(ii)	<ul style="list-style-type: none"> • mitochondria; • ribosomes; • endoplasmic reticulum; 	Golgi apparatus / chromosomes		3												
(b) (i)	<ul style="list-style-type: none"> • two oblong shaped cells with cilia; <p>Three of:</p> <ul style="list-style-type: none"> • nucleus, (cell) membrane, cytoplasm, cilia labelled; 			2												
(ii)	<ul style="list-style-type: none"> • moves mucus; • out of trachea/to the throat/away from the lungs; <p>OR</p> <ul style="list-style-type: none"> • moves ovum/egg; • along oviduct/towards uterus; 	Ignore produces /secretes mucus		2												
				Total 10												

Question number	Answer	Accept	Reject	Marks
6 (a) (i)	<ul style="list-style-type: none"> • mitosis/cell division; • chromosomes only visible at this time / chromosomes condense; 			2
(ii)	2 of <ul style="list-style-type: none"> • respiration; • to release energy/to make ATP; • for cell division/mitosis; 			2
(iii)	<ul style="list-style-type: none"> • so chromosomes can be seen more clearly; 			1
(b) (i)	<ul style="list-style-type: none"> • 47; 			1
(ii)	<ul style="list-style-type: none"> • both chromosomes are X/it is XX/if it were male would be XY/no Y chromosome; 			1
(iii)	<ul style="list-style-type: none"> • chromosomes unable to pair up; • can't form haploid cell/cell with 23 chromosomes / unequal distribution of chromosomes; • during meiosis; 			2
				Total 9

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London WC2R 0RL